

ROSETTA[®]

LOVE YOUR WORK



ROSETTA GRILL ISLAND INSTRUCTIONS


TABLE OF CONTENTS

INSTALLATION INSTRUCTIONS.....	3
DETAIL A: SITE LAYOUT AND UTILITY PLAN	5
DETAIL B: COUNTER TOP LAYOUT	6
DETAIL C: FOUNDATION DETAIL.....	7
DETAIL D: BLOCK CUTTING DIAGRAM.....	8
BLOCK LAYOUT - FRONT VIEW	9
BLOCK LAYOUT - BACK VIEW	10
BLOCK LAYOUT - SIDE VIEWS	11

INSTALLATION INSTRUCTIONS



Plan Your Project: Determine the desired location for your Grill Island and gather all required materials and tools. Plan for gas service installation (Natural Gas or Liquid Propane) and if you are installing an optional sink or refrigerator, plan for electric or plumbing services as required. All services should be installed per code by licensed individuals.

MATERIALS INCLUDED WITH KIT




(2) PALLET OF BELVEDERE WALL BLOCK

▪ Pallet weight = \pm 2,475 lbs




(1) PALLET OF BELVEDERE CORNER BLOCKS

▪ Pallet weight = \pm 1,520 lbs




(2) CONCRETE COUNTER TOPS

▪ Thickness = 3"
▪ Weight = 575 lbs (\pm) each



DIMENSIONAL COPING

2 EA END COPINGS
2 EA 18" LONG COPINGS
2 EA 24" LONG COPINGS



ADDITIONAL BELVEDERE CORNER BLOCKS

2 EA 3" TALL CORNER BLOCKS
2 EA 6" TALL CORNER BLOCKS

ADDITIONAL MATERIALS REQUIRED

1. (2) Concrete Counter Tops (30" Wide x 72" Long x 3" Thick)
2. Grill, Grill Cabinet, and Optional Propane Cabinet, Sink, or Refrigerator
3. (20) Tubes of Concrete Adhesive and (1) Tube Silicone Adhesive
4. (1) Cubic Yard of Crushed Stone
5. Food Grade Concrete Sealer

TOOLS REQUIRED

1. Eye and Hearing Protection
2. Measuring Tape, Level and Square
3. Mallet or Small Sledge Hammer
4. String Line and Stakes
5. Masonry Cut-Off Saw
6. Vibratory Plate Compactor
7. Caulk Gun


INSTALLATION INSTRUCTIONS

- 1. Locate Grill Island:** Mark or stake out location of Grill Island and cabinets on the ground. See Detail A.
- 2. Install Utilities:** Install required gas, electric, water and drain lines per local building code. See Detail A for stub-up locations.
- 3. Cut Out Counter:** Mark and cut out counter top as shown in Detail B. Save remnants shown. They will be used as foundations for grill cabinets.
- 4. Prepare Foundation:** Excavate and prepare a 6" deep compacted stone foundation for the Grill Island.
 - a. Remove sod and topsoil from an area 4" wider than the Grill Island in all directions.
 - b. Compact existing grade. Foundation soil should be firm, dry and free of debris, stones, roots, etc.
 - c. Place and compact 6" of crushed stone foundation material. Compact using a vibrator plate compactor.
 - d. Mark out base of Grill Island and location of grill cabinet (centered) and optional refrigerator or propane cabinets if applicable.
 - e. Place counter top remnants as foundations for grill cabinets. See Detail C for details.
- 5. Build Grill Island up to Counter Level: (See attached Block Layouts for details)**
 - a. Tape cardboard to front and corners of grill cabinets to protect face of cabinets.
 - b. Place grill cabinets on foundation and level as shown in Detail C.
 - c. Set bottom course of blocks. Using the grill cabinet as a guide, mark and cut blocks to fit snugly along edge of the grill.
 - d. Check base course for level and square and adjust if necessary.
 - e. Continue to lay and trim blocks up to counter top level. Glue blocks together as you build up using concrete adhesive.
- 6. Trim Blocks for Optional Sink:** If optional sink is installed, trim blocks located directly below the sink location as shown in the Detail D.
- 7. Cut Blocks at Back of Counter:** Lay out 3" tall blocks at the back of the countertop level to achieve look desired from the back of the Grill Island. Mark a straight line and trim off approx 2" to create a ledge for the countertop to rest on. See Detail D.
- 8. Install Counter Top:** Adjust cabinet height using adjustable feet to line up with top of top blocks. Set counter top on top blocks. Push together toward the center and push flush with blocks at back. Glue counter top in place using concrete adhesive. Seal concrete with a food-grade concrete sealer prior to use.
- 9. Install Back Splash:** Set back splash blocks and coping blocks as shown in attached Block Layout Details. Glue in place with concrete adhesive.
- 10. Install Optional Sink:** Install sink through cutout in counter top and glue in place with silicone adhesive.
- 11. Hook up Utilities:** Remove grill cabinet and install utilities per local code. Replace grill cabinet when completed.
- 12. Install Grill:** Install grill on counter top. Grill hangs on edges of counter top from flange on side of grill. Hook up gas line per manufacturer's recommendations. Open grill cover to ensure proper clearance with back splash. When operating correctly, glue grill under flanges to countertop using silicone adhesive.

Enjoy!


NOTICE: Please see grill manufacturer's instructions for installation of gas lines and venting requirements.

DETAIL A: SITE LAYOUT AND UTILITY PLAN




DETAIL B: COUNTER TOP LAYOUT

MOLD LINE
CHISELED
TEXTURE




NOTE: DIMENSIONS ARE
TAKEN FROM STRAIGHT
MOLD LINE AND NOT
FROM TEXTURED EDGES


LEFT HAND COUNTER TOP CUTS (LOOKING FROM ABOVE)



RIGHT HAND COUNTER TOP CUTS (LOOKING FROM ABOVE)




DETAIL C: FOUNDATION DETAIL




DETAIL D: BLOCK CUTTING DIAGRAM


TRIM BLOCKS FOR SINK OPTION
(LOOKING FROM ABOVE)




TRIM BLOCKS FOR SINK OPTION
(LOOKING FROM ABOVE)



BLOCKS CUTS AT BACK OF COUNTER
(LOOKING FROM ABOVE)



BLOCK LAYOUT - FRONT VIEW




BELVEDERE BLOCK KEY

	6" LONG BLOCK	12" LONG BLOCK	18" LONG BLOCK	CORNER BLOCK
3" HIGH BLOCK	6	12	18	C
6" HIGH BLOCK	6	12	18	C

*NOTE: "S" OR "L" INDICATES SHORT OR LONG SIDE OF BLOCK

BLOCK LAYOUT - BACK VIEW





BELVEDERE BLOCK KEY

	6" LONG BLOCK	12" LONG BLOCK	18" LONG BLOCK	CORNER BLOCK
3" HIGH BLOCK	6	12	18	C
6" HIGH BLOCK	6	12	18	C

*NOTE: "S" OR "L" INDICATES SHORT OR LONG SIDE OF BLOCK

BLOCK LAYOUT - SIDE VIEWS


NOTICE: Please see grill manufacturer's instructions for installation of gas lines and venting requirements.





BELVEDERE BLOCK KEY

	6" LONG BLOCK	12" LONG BLOCK	18" LONG BLOCK	CORNER BLOCK
3" HIGH BLOCK	6	12	18	C
6" HIGH BLOCK	6	12	18	C

*NOTE: "S" OR "L" INDICATES SHORT OR LONG SIDE OF BLOCK










*TRIM 18" BLOCK IN BACK CORNER


**TRIM CENTER CORNER BLOCKS AT GRILL OPENING IF DESIRED










**TRIM CENTER CORNER BLOCKS AT GRILL OPENING IF DESIRED








**TRIM CENTER CORNER BLOCKS AT GRILL OPENING IF DESIRED





*TRIM BLOCKS TO ALLOW COUNTER TO
RECESS SLIGHTLY OVER LAYER BELOW

